	Application No.	Applicant(s)
Notice of Allowability	10/646,860	NOMURA, HIROSHI
	Examiner	Art Unit
	Arthur A Smith	2851
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub-	is application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <u>8/25/03</u> .		
2. The allowed claim(s) is/are <u>1-32</u> .		
3. The drawings filed on 25 August 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)		
1. Notice of References Cited (PTO-892)		mal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sum Paper No./Ma 8), 7. ☐ Examiner's Am	il Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 2/25/04;5/04/04 	8), 7. ∐ Examiner's Am	nendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		atement of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/646,860

Art Unit: 2851

DETAILED ACTION

Allowable Subject Matter

Claims 1-32 are allowed.

The following is an examiner's statement of reasons for allowance: each of claims 1 and 32 having a position-controller configured to hold said swingable holder such that said retractable optical element remains on said optical axis when said retractable lens is in said operational state, said position-controller further configured to rotate said swingable holder about said pivot such that said retractable optical element retracts to a position which deviates from said optical axis when said linearly movable ring, together with said swingable holder, retracts toward said plane; and a movement direction setting device, provided on said support plate and said linearly movable ring, and setting the direction of movement of said at least one support plate in a plane substantially orthogonal to said optical axis when said at least one of said first and second movement force is applied on said at least one support plate by at least one of said rotation of said first rotatable shaft and said rotation of said first rotatable shaft and said rotation of said second rotatable shaft when said support plate fixing device is in said released state, in combination as claimed cannot be made inherent nor obvious by the prior art of record. JP 58162914 cited in the United Kingdom Search Report also fail to make inherent or obvious the claimed invention since they fail to show the above stated claim limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/646,860

Art Unit: 2851

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arthur A Smith whose telephone number is (571) 272 2129. The examiner can normally be reached on Monday - Thursday from 8:00 AM to 5:30 PM. The examiner can also be reached on alternate Fridays during the same hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (572) 272 2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AAS

September 14, 2004

PRIMARY EXAMINER

yn dyllgwyen